



TANKS LIQUID TRANSPORT



DIESEL REFUELING TANKS

2025 PRODUCT CATALOGUE





FIELD SPRAYER UNITS



FIRE FIGHTING EQUIPMENT



TRAILED WATER CARTS



INDUSTRIAL WATER CARTS



DISCLAIMER

There may be information in our catalogue that contains typographical errors, inaccuracies, or omissions that may relate to product descriptions, specifications, pricing and other details. All weights, measurements and colours shown, are best approximations.

Trans Tank International (TTi) cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. TTi reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice.

WE DESIGN, DEVELOP AND MANUFACTURE LIQUID TRANSPORT **TANK SOLUTIONS HERE IN AUSTRALIA**

Built for the tough Australian landscape and exported across the world, we offer water cartage, weed spraying, diesel tank and fire fighting solutions for farmers and civil contractors.



25-YEAR TANK WARRANTY

Reliable, dependable solutions you could still be using 25 years from now



250+ ACTIVE Stocking dealers

250+ Active Stocking Dealers Australia-Wide



LOCAL SERVICE & SUPPORT

Friendly, helpful Australian support team when you need it for the life of your product



100% AUSTRALIAN MADE & OWNED

Australian-owned and made for the tough Australian landscape



SAFEST TANKS IN MOTION

Reduce your risk with the true liquid transport tank specialists



WHO WE ARE



WHO

WE ARE HERE TO SERVE HANDS-ON, DOWN TO EARTH PRACTICAL PEOPLE.

Built in Australia, by Australians, for the tough Australian landscape



PURPOSE

TO HELP DEVELOP & PROTECT THE LAND.

Helping you keep the weeds under control, your earthmoving equipment refueled, & fighting fire CULTURE

OUR CULTURE AND CAPABILITY EQUAL JUST RIGHT, FIRST TIME, EVERY TIME.

Our CRISP values underpin everything we do. Care, Respect, Innovation, Sincerity & Passion



THE WORLD'S MOST **RELIABLE LIQUID TRANSPORT** TANK SOLUTIONS

TTi, or Trans Tank International is respected as Australia's Leading Manufacturer of rotationally moulded poly tanks, and has been for over 25 years.







WHO ARE WE

WE PRIDE OURSELVES ON BEING:





ENVIRONMENTALLY

AWARE

We generate enough solar power to run our entire factory

We commit to recycle wherever possible & continually economise our processes

COMMITTED TO THE HEALTH & SAFETY OF OUR PEOPLE

- We are passionate about OH&S and constantly strive for excellence
- We provide training & development for the personal enrichment of our staff





PRODUCT **Directory**



AquaTrans™ AquaMove™	12
AquaDelivery™	18
TransLoc™	20
InterLoc™	21
SumpTrans™	22
Tank Accessories	28



*GST included | Free Call 1800 816 277 | www.tti.com.au

PRODUCT DIRECTORY

OnDeck™ (Compact)	46
OnDeck [™] (with SuperReel [™])	48
SpotPro™	50
SpotPro™ (Deluxe)	51
TopCrop™	52
SuperReel™ (Single)	54
SuperReel™ (<i>Twin</i>)	56
SuperReel™ (<i>M-Series</i>) NEW!	58
TrailPro™	60
TrailPro™ <i>(Deluxe)</i>	62
GlidePath™	64
SuperTrail™	66
SilageMaster™	68
LinkOn™	70
Spray Accessories	74
Remco	75
12v Pumps	75
Spray Hose	80
SuperReel™	81
Compact™	88
Pinnacle™ 'Plus'	89





StandBy10™	118
BackUp16™	118
FireCombat™	120
FireGuard™	120

ïreBoss™	121
ïreDefence™ 1	122
ïreAttack™ 1	124
AquaPath™ 1	126
ïrePatrol14™ 1	130
ïrePatrol15™ 1	132
PantherPatrol™ 1	136



PolymerPro™	138
Water Trucks	140
Water Trucks (4x2)	142
Water Trucks (6x4)	143
AquaModule™ (Chassis-Mount)	144
FloodRite™ (Slip-On Water Carts)	146
Hooklift™ (Hooklift Water Carts)	150
xTreme™ (Pressure Washdown Trailer)	152
xTreme™ (Pressure Cleaning & Washdown Trailer)	153

WHAT MAKES TTI'S **TANKS UNIQUE?**

Over 20 years specialising in the manufacture of quality water cartage tanks

TTi has over 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute our focus by producing storage tanks and other rotomoulded products.

Did you know the DNA of every TTi tank is recorded? This combined with rigorous quality checks including ultrasound thickness testing and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market, giving you peace of mind. Our unmatched tooling engineering is reflected in every moulded TTi Tank.

WATER CARTAGE TANKS

Tank Sizes: 20 to 17,000 Litres



KEY FEATURES



Extra thick tank wall structure with a load capacity of up to an enormous 1.3 Specific Gravity on all AquaTrans™



Exclusive, specially developed and formulated polvethylene powder incorporating the latest technology



Easy-to-read calibration on side wall of tank for guick measurement of contents (when sight level tube is fitted)




Specifically designed footings to enable easy mounting to any tray surface - mounting pins included



Factory-fitted outlet with every tank



UV stabilised to withstand the elements: All tanks are cooked to temperature. not time





Molasse



Potable Water

Chemical

Virtually Any Other Liquid


GET ANY TANK IN YOUR CORPORATE COLOUR




SUPPLIED WITH PINS & WEDGES

FOR EFFECTIVE MOUNTING





*Note: Wedges supplied for tanks 8,000L+



Water Cartage Tanks with 15 or 25-Year Warranty









AquaTrans[™] with 25-Year Warranty

\$ 1,250 *	400 Litres		
ø255 Lid Assembly	Steel Skid-Frame SKU: ASFD00400A	\$830*	
	Top-Mount Steel Pump Plate SKU: SSF001	\$300*	

What's the Difference?

$\begin{array}{l} AquaTrans^{\rm TM} \\ AquaMove^{\rm TM} \end{array}$

AquaTrans[™] ·

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans™ tank range.

A really heavy-duty tank with a 25-year warranty is just part of the deal. The AquaTrans[™] is a premium product and is in a league of its own. This is the bees' knees!

AquaMove™ -

Without any compromise, the AquaMove™ range has been introduced to be a player in the price sensitive end of the market.

With a slightly lighter design than the AquaTrans[™] and a 15year warranty, this is the everyday range.



Water Cartage Tanks with 15 or 25-Year Warranty







*GST included | Freight Rates Apply

2,000	D Litres
AquaTrans™ 25-Year Warranty SKU: PTC02000SG	AquaMove™ 15-Year Warranty SKU: STC02000SG
\$3,565*	\$3,365*
LWH: 2150 x 1410 x 870mm ø455 Lid, Rim, & Seal Assy; 2	
★ LiquidLocker™	
★ Steel Mountin	g Frame \$2,810*
B (H) Aquatr	1000 1000 1000 1000 1000 1000 1000 100



 ★ LiquidLocker™ 110pcs
 \$1,430*

 ★ Steel Mounting Frame
 \$4,375*

Water Cartage Tanks with 15 or 25-Year Warranty

2,400 Litres

AquaTrans[™] 25-Year Warranty SKU: PTC02400SG

\$**4,060*** LWH: 2150 x 1410 x 1140mm; Mounting Pins Provided;

ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

\$**858***

\$2.810*

★ LiquidLocker[™] 66pcs

***** Steel Mounting Frame

E





AquaTrans™ 25-Year Warranty	AquaMove [™] 15-Year Warranty	
SKU: PTC03000SG	SKU: STC03000SG	
\$5,315*	\$4,625*	

LWH: 2430 x 1540 x 1200mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 85pcs
 \$1,105*
 ★ Steel Mounting Frame
 \$4,375*



6,000 Litres

AquaTrans[™] 25-Year Warranty SKU: PTC06000SG

\$8,740*

LWH: 2760 x 2000 x 1540mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 165pcs
 \$2,145*
 ★ Steel Mounting Frame
 \$5,745*



★ LiquidLocker[™] 138pcs
 \$1,794*
 ★ Steel Mounting Frame
 \$5,745*

*GST included | Free Call 1800 816 277 | www.tti.com.au





* Steel Mounting Frame \$8,095*



Water Cartage Tanks with 15 or 25-Year Warranty

FOR MAXIMUM VEHICLE STABILITY





The Locker that Stops The Slosh!

Complies with load restraint guide performance standards

\checkmark
U

Suitable for use with all tanks - poly, steel, fibreglass, aluminium, etc.

LiquidLocker[™] baffles can be used with water, diesel and other liquids

Simple to install LiquidLocker[™] baffles are supplied in two halves



LiquidLocker™ Anti-Surge Baffling Safety System (Supply Only) \$8* Ø195mm

> **1 Ball per 5.8 Litres (1:6)** SKU: LLB195



LiquidLocker™ Anti-Surge Baffling Safety System (Supply Only)

\$11* Ø**380mm**

1 Ball per 33 Litres (1:33) SKU: LLB380

LiquidLocker Testing & **Demonstration Results**:

of your tanks total volume!

100% Elimination of Liquid surge

IMPROVED CORNERING & Maneuverability

80%

%40%Shorter braking abilityShorter braking distance

50%

G VEHICLE WEAR AND TEAR REDUCTION

*Results may vary depending on tank size, vehicle & road conditions





SCAN TO SEE VIDEO DEMONSTRATION!

AquaDelivery ™ Bulk Water Delivery with Honda

Bulk Water Delivery with Honda GX200 and 3" Water Delivery Pump

 \checkmark

Heavy-duty water cartage tank on forkable steel frame

Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump

Lockable Toolbox with 2 x 10m Lengths of Certified Potable Food Grade Layflat Hose

Hydrant Filler Lid with Spring non-return valve



Bulk Water Delivery Unit



CODE	CAPACITY (LITRES)	RRP*(\$)	CODE	CAPACITY (LITRES)	RRP*(\$)
PWD05000L	5,000 Litres	\$21,140*	PWD12000L	12,000 Litres	\$30,770*
PWD06000L	6,000 Litres	\$22,330*	PWD13000L	13,000 Litres	\$33,295*
PWD07000L	7,000 Litres	\$25,450*	PWD13000AL	13,000 Litres	\$33,295*
PWD08000AL	8,000 Litres	\$26,665*	PWD15000L	15,000 Litres	\$36,055*
PWD10000ALSG	10,000 Litres	\$28,870*	PWD17000L	17,000 Litres	\$38,490*

FRAMES Forkliftable Tank Skids



To Suit Tanks from 500L to 1,500L


Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

Frames standard with forklift pockets from all four sides

SKU	DESCRIPTION	KG	L X W (MM)	RRP* (\$)
ASFCA00500	Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides	37	1630 x 1010	\$2,715
ASFCA00800	Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides	53	1780 x 1110	\$2,935
ASFCA01200	Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides	72	1780 x 1344	\$3,110

*Disclaimer: Check compatibility with your forklift width between tynes



To Suit Tanks from 2,000L to 17,000L

Forkliftable for easy lift on, lift off convenience

Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

SKU	DESCRIPTION	KG	L X W (MM)	RRP* (\$)
ASFC02000	Steel Frame for 2000L & 2400L AquaTrans™	190	2910 x 1410	\$2,810
ASFC03000	Steel Frame for 3000L & 4000L Aqua Trans™	218	3020 x 1355	\$4,375
ASFC05000	Steel Frame for 5000L & 6000L AquaTrans™	302	3500 x 1820	\$5,745
ASFC07000	Steel Frame for 7000L , 10000L & 13000L AquaTrans™	410	4100 x 2200	\$7,220
ASFCA08000	Steel Frame for 8000L, 10000L & 12000L Tipper AquaTrans	428	4210 x 2000	\$7,220
ASFC13000	Steel Frame for 13000L , 15000L & 17000L AquaTrans™	480	5300 x 2330	\$8,095

*Disclaimer: Check compatibility with your forklift width between tynes

TransLoc™

Heavy Duty Modular Water Cartage Tanks

Heavy-Duty

Modular Water Cartage Tanks



Expandable Capacity

- Modules can be plumbed to **drain** independently or together!
- ✓ Low-Profile Design
- Improved Safety





Free-standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining.

Fully baffled every 3,000 Litres to minimise surge (optional LiquidLocker™ baffles). Low profile design for improved safety.

*GST included | Free Call 1800 816 277 | www.tti.com.au

InterLoc™

Fully-Drainable Chemical Tanks



Needing to cart different chemicals in one load? Modules can be plumbed to drain independently or together!

Fully baffled every 2,500 Litres to minimise surge (optional LiquidLocker™ baffles). Low profile design for improved safety.

Fully-Drainable

Modular Tank System



- Needing to **cart different chemicals** in one load?
- ✓ Standard with Steel-Mounted Frame
- Modules can be plumbed to drain independently or together!
- ✓ Fully **Baffled** (Every 2500 litres)



SumpTrans[™] Fully-Drainable Chemical Tanks

TTi's SumpTrans™ Tank use specially blended polyethylene to handle the broadest range of liquids possible from plain water to the harshest chemicals - ask for a copy of our compatibility chart!

TTi's SumpTrans[™] tanks have excellent impact resistant gualities and impervious to some of the most agressive chemicals. SumpTrans™ incorporate the latest technology to easily handle any work environment. Fully-Drainable Chemical Tanks






KEY FEATURES



TH TRANSTOR

Manufactured from chemical resistant, UV stabilised polvethylene



Large tank opening for fast, easy filling. Sealed with 455mm lid with labyrinth breather (600L+)



Easy fill, no spill containment lip on all sprav tanks above 500L



Easy to read calibrations for measurement of contents (when sight level tube fitted on tank)



Fully draining sump with smooth interior and enables complete drainage and decontamination of tank



Available with robust hot-dip galvanised steel mounting frame for correct tank support and ease of mounting






SureFit[™] safe and secure mounting pin system





TANK FRAMES



TTi's steel frames are over engineered and hot dip galvanized for long lasting protection.




100 Litres

 Tank Only
 with Frame

 815 x 450 x 595mm (LWH)
 815 x 450 x 600mm (LWH)

 SKU: PTSS00100SG
 SKU: PTSS00100KSG

\$580* \$995* ø150 Lid Assembly Complete; Pair of mounting straps;





200 Litres

Tank Only 940 x 600 x 750mm (LWH) SKU: PTSS00200SG


\$855*

056 SKU: PTSS00200KS6 \$1,180*

with Frame

940 x 600 x 760mm (LWH)

ø255 Filter Basket; ø255 Lid Assembly Complete; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame





Tank Only 940 x 600 x 950mm (LWH) SKU: PTSS00300ASG

\$1,055*

SG	SKU: PISSUU3UUAKS
	\$1,435*

with Frame

940 x 615 x 965mm (LWH)

ø255 Filter Basket; ø255 Lid Assembly Complete; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



200 Litres (Low Profile)

Tank Only	with Frame
960 x 690 x 550mm (LWH)	1085 x 700 x 600mm (LWH)
SKU: PTSP00200SG	SKU: PTSP00200KSG
\$870*	\$ 1,150 *

ø255 Filter Basket; ø255 Lid Assembly Complete;
 ¾" MBSP Fitting-Poly; Pump Compartment Cover; Skid Frame



400 Litres (Low Profile)

Tank Only	with Frame
1145 x 850 x 680mm (LWH)	1230 x 850 x 710mm (LWH)
SKU: PTSP00400SG	SKU: PTSP00400KSG
\$ 1,210 *	\$ 1,980 *

ø255 Filter Basket; ø255 Lid Assembly Complete; Pump compartment cover; ¾" MBSP Fitting-Poly; 4x8x100mm BSW HED HD Bolt; 8 x 8mm washers, 4 x 8mm; nyloc nuts; Skid Frame

24

ø255 Filter Basket; ø255 Lid Assembly Complete;

11/2" MBSP Fitting-Poly; Straps Only (pair); Skid Frame

Trans Tank® International | Product Catalogue 2025

*GST included | Free Call 1800 816 277 | www.tti.com.au









600 Litres		
Tank Only 1200 x 840 x 970mm (LWH) SKU: PTSS00600SG	with Frame 1200 x 840 x 1000mm (LWH) SKU: PTSS00600KSG	
\$1,380*	\$ 2,17 0*	
a OEEL id Assambly Com	alata a055 Filtar Daalaat	

ø255 Lid Assembly Complete; ø255 Filter Basket; 11/2" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



1,000 Litres	
Tank Only	with Fram
1430 x 1220 x 940mm (LWH)	1430 x 1220 x 980r
SKU: PTSP01000SG	SKU: PTSP01000

\$1,940*

mm (LWH) SKU: PTSP01000KSG

\$3,095*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket 11/2" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame

ø455 Lid Assembly Complete; ø455 Filter Basket;

11/2" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame



ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket 11/2" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame



ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; 1½" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame



1700 x 1200 x 1150mm (LWH) SKU: PTSP01500SG

1700 x 1200 x 1190mm (LWH) SKU: PTSP01500KSG

\$2,740* **\$4,240*** ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket;

0455 Lid, Rim, & Seal Assy; 0455 Filter Basket; 11/2" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame



7,210

2,000 Litres		
Tank Only 2150 x 1410 x 1150mm (LWH) SKU: PTSP02000SG	with Frame 2150 x 1410 x 1180mm (LWH) SKU: PTSP02000KSG	
\$3,490*	\$5,420*	

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; 2" MBSP Fitting-Poly; 4 Pins 24 x 260; Skid Frame



\$4,100* \$6,050*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame



 Tank Only
 with Frame

 2430 x 1540 x 1280mm (LWH)
 2430 x 1540 x 1350mm (LWH)

 SKU: PTSP03000SG
 SKU: PTSP03000KSG

\$5,440* \$8,655*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame



Tank Only	with Frame
2430 x 1540 x 1530mm (LWH)	2430 x 1540 x 1550mm (LWH)
SKU: PTSP04000SG	SKU: PTSP04000KSG
\$ 6,140 *	\$9,370*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame





with Frame 3600 x 2100 x 1773mm (LWH) SKU: PTSP08000KSG

\$15,570*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 330; Skid Frame



Tank Only 3480 x 2250 x 2420mm (LWH) SKU: PTSP13000SG	with Frame 3480 x 2250 x 2470mm (LWH) SKU: PTSP13000KSG
\$18,320*	\$22,730*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 480; Skid Frame



Tank Only 2760 x 2000 x 1670mm (LWH) SKU: PTSP06000SG

\$8,930*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame



Tank Only with Frame 3600 x 2100 x 2319mm (LWH) 3600 x 2100 x 2473mm (LWH) SKU: PTSP12000SG SKU: PTSP12000KSG

> \$16,200* \$20,900*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 480; Skid Frame

5,000	D Litres
Tank Only 2760 x 2000 x 1520mm (LWH) SKU: PTSP05000SG	with Frame 2760 x 2000 x 1620mm (LWH) SKU: PTSP05000KSG
\$7,135*	\$ 10,405 *

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame



Tank Only	with Frame
3600 x 2100 x 1960mm (LWH)	3600 x 2100 x 2114mm (LWH)
SKU: PTSP10000SG	SKU: PTSP10000KSG
\$ 15,245 *	\$ 19,655 *

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 480; Skid Frame

Tank Accessories



Sight Level Kit (Fitted)		
	\$119*	Level Kit
Gla	e Your Tank Lid ance : ARN001-F	quid Level at a



o nyarana	
\$ 1,250 *	Fill Lid

3" Hydrant Fill Lid

Hydrant Fill System with Tilt-Lid Mechanism & 3" Top Pipe SKU: ARH080



80mm Hydrant Funnel Lid		
\$ 2,545 *	Funnel Kit	

Funnel Fill System with Mesh Basket & 3" Top Pipe SKU: ARU450F



SKU	DESCRIPTION	RRP*(\$)
ARFB025	1" Brass tank outlet	\$ 69 *
ARFB032	1¼" Brass tank outlet	\$ 92 *
ARFB038R	1½" Brass tank outlet	\$ 108 *
ARFB050R	2" Brass tank outlet	\$ 134 *
ARFB080R	3" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$ 248 *
ARFB100R	4" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$371*

FLANGED P Tank Outlet Fitti		ed in

SKU	DESCRIPTION	RRP*(\$)
ARFP020	34" Tank Outlet - Flanged Poly	\$ 21 *
ARFP025	1" Tank Outlet - Flanged Poly	\$ 21 *
ARFP032	1¼" Tank Outlet - Flanged Poly	\$ 24 *
ARFP038	11/2" Tank Outlet - Flanged Poly	\$ 36 *
ARFP050	2" Tank Outlet - Flanged Poly	\$ 41 *
ARFP050R	2" Tank Outlet - Reverse Thread with 2 Seals Supplied M & F Threads	\$ 63 *



SKU	DESCRIPTION	RRP*(\$)
ARLP150AV	Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket	\$39*
ARLP250VSR	Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve	\$81*
ARLP450VSS	Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve	\$ 141 *
ARLP450VSR	Hinged Tank Lid (455mm) - with Rim and Seal 180º; with Fixed Ring; Labyrinth Breather Valve	\$141*
ARLS450VSR	450mm Stainless Steel Hinged Lid	\$605*
TTI30065	450mm Aluminium Lid	\$399*
ARK200	Basket Filter (250mm) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep	\$ 85 *
ARK400	Basket Filter (450mm) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep	\$81*
LLB195	BallBaffle™ Ø195mm - 1 ball per 7 Litres	\$ 8 *
LLB380	LiquidLocker™Ø380mm - 1 ball per 33 Litres	\$ 11 *



CJG·452





Inter[™] Knapsack & Compression Sprayers



Hand-Operated Compression Sprayers Less Pumping - More Spraying





inter Accessories

Quick Fit Accessories for Maximum Spray Options

	ery time without colla Inter Elite Spray Hoc		
Rectangu	llar Hood	C	onical Hood
\$5	7*	\$45*	
SKU: A	TAOOB	SKU: ATAOOC	
Herb	tion 1.5 bar: icide		Regulator
101	icide eflective fan nozzle)		\$66*
Inse	tion 3 bar cticide-fungici ollow cone nozzle)	ide	SKU: ATAOOA
			SET AND FORGET PRESSURE CONTROL SIMPLE TO USE ACCURATE SPRAYING TOUGH & DURABLE
	Trans Tank® Interna	tional Produc	t Catalogue 2025 31

inter Accessories



Flexible Double Nozzle

Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

Used for basal bark spraying and ant block treatments



Telescopic Lance

Gives your sprayer extendible length to reach hard to access areas.



inter Accessories

Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.



Lance Extensions





with 5-Year Warranty

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

Made of special, high resistance materials for use with various chemicals

- Viton seals for excellent chemical resistance and durability
- See liquid level at a glance with **tank graduations**
 - **Pressure safety valve** ensures sprayer is protected from over pressurisation



Ideal for: ✓ Truck Washing ✓ Animal Husbandry Brick Cleaning ✓ Amenity Cleaning Carpet Cleaning ✓ Disinfecting Wallpaper Stripping ✓ Degreasing 民。 **1L Hand-Held Sprayer 6L Hand-Held Sprayer** IK1Litre **IK6**Litres \$80* \$240* SKU: PGK0001L SKU: PGK0006L BK 12 HK 12BS **8L Hand-Held Sprayer 12L Knapsack Sprayer IK8**Litres **IK 12** Litres \$251* \$311* SKU: PGK0008L SKU: PGK0012L


*GST included | Free Call 1800 816 277 | www.tti.com.au

WeedMasta™ 16R

Rechargeable Knapsack Sprayer with Trolley

- 16 Litre capacity tank, ergonomically designed for maximum carrier comfort
- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery

- No more frustrating tangles with our kink resistant hose
- Sturdy trolley with large handle and wheels for ergonomic operation
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- Supplied with battery charging kit




Trolley and Can Be Eas

Trolley and Knapsack Can Be Easily Separated!

***GST included** | Freight Rates Apply

WeedContro **SPOT SPRAYERS**





The WeedControl[™] 12v Sprayer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be mounted to UTEs, UTV's and ATVs, ensuring your spraying task gets completed safely.



KEY FEATURES



8.3L/min 70psi EverFlow 12v pump with Pressure regulator and gauge for controlled spraying

Sturdy UV stabilized tank with drain for easy cleaning

HIS PRODUC



4.5m Spray hose with PowerJet spray gun & adjustable brass nozzle



2.4m electrical cables with 12v adaptor & alligator clip



WeedControl[™]

TRAILED







12v Spray Trailers



Spot Spray Trailers with 8.3 L/min Pump & Powerjet Spray Gun.

The WeedControl[™] 12v spray trailer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be towed by a standard or zero-turn mower ensuring your spraying task gets completed safely.



STANDARD TRAILERS

Standard drawbar for smooth towing - suitable for any mower

\$ 1,180 *	\$ 1,270 *
55 Litres	95 Litres
12v 8.3 with 2m Boom SKU: SVT0055L0077B2	12v 8.3 with 2m Boom SKU: SVT0095L0077B2

ZERO-TURN TRAILERS


Long drawbar for extra-sharp turning - up to 90° - more suitable for zero-turn mowers

\$ 1,180 *	\$ 1,270 *
55 Litres	95 Litres
12v 8.3 with 2m Boom SKU: SVT0055L0077ZB2	12v 8.3 with 2m Boom SKU: SVT0095L0077ZB2

ATV TRAILERS

Large pneumatic tyres for handling rough terrain - suitable for mowers and ATV's

	\$2,700*	\$ 2,950 *
	150 Litres	225 Litres
9	12v 8.3 with 3m Boom	12v 8.3 with 3m Boom



Strike™ Professional 12v Spot Sprayers

The Strike, a sprayer that has proved itself over many years as a versatile and reliable professional 12v sprayer in our TTi range.





ReelStrike[™]

Professional 12v Spot Sprayers with 30m Reel

The ReelStrike[™], a TTi icon sprayer that has proved itself over many years as the most versatile and reliable professional 12v sprayer in our TTi range.

The 30m reel allows you to access those "hard to get to" areas, while the 100psi pump gives you that extra pressure when you need to hit your spray target from a distance.

KEY FEATURES





Fully-drainable tank with a sturdy hot dip galvanised base frame






Pressure regulator and gauge for accurate & controlled spraying







POLARIS

OnDeck™ 300L Purpose-Built UTV Sprayer



Possibly the most unique and well-designed UTV Sprayer, the OnDeck™ suits the ever growing UTV market.

The 300L model comes in a clever choice of pump, motor and hose reel combinations. From weed spraying to firefighting, the OnDeck range is sure to be a valuable investment.



INTEGRATED FRESH WATER TANK

RANGER

*GST included | Free Call 1800 816 277 | www.tti.com.au







KEY FEATURES



Fully-drainable Tank with tie-down provisions & integrated lifting handles



Pressure regulator with gauge & bypass system



Integrated freshwater bottle & tap for hand-washing



Galvanised Forkable Steel Frame



OnDeck™ Standard

IIRA


Purpose-Built Sprayer for UTVs

KUBOTA

Dim (LWH): 1000 x 1250 x 600mm











Ondeck™ compact

Purpose-Built Sprayer for UTVs



Dim (LWH): 870 x 1100 x 850mm Fits UTVs including: 🚑 JOHN DEERE POLARIS CFMOTO HONDA Kawasaki can-am **BOOM & SOLENOID OPTIONS** BoomTech[™] Nozzle **Boom Elec On/Off #2 Boomless Nozzle** \$336* \$560* \$595* Solenoid Valve Kit & **Universal Stainless Steel HitchIt Hayman Reece** Pressure Relief Attachment; Boomless **Tailgate Mounting Bracket; Boomless Nozzle** Nozzle (Fitted) SKU: ATVS10B036F SKU: ABTOO1 SKU: ABK02-GN 4m Compact[™] Boom **4m Versatile Boom** \$2,220* \$930* Hitchlt Hayman Reece Attachment; 4m Folding Boom with Hayman Reece Versatile Boom Attachment SKU: ABVL040-GN SKU: ABM040-GN





✓ Fits UTVs including Polaris, Honda and Can-Am ✓ 150L (LWH): 730 x 950 x 500mm | 300L (LWH): 870 x 1100 x 850mm





8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun SKU: PUD0150L0076H3



 \$3,725*
 300 Litres

 8.3 L/min 100psi 12v Pump;
 30m Hose Reel; Spray Gun

 SKU: PUDA0300L0076H3



12 L/min Pump; Honda GX35; 30m Hose Reel; Spray Gun SKU: PUDA0300L0120H



22 L/min Pump; Honda GX200 30m Hose Reel; Spray Gun SKU: PUDA0300L0220H3



22L/min Pump; Honda GX200 50m SuperReel™ SKU: PUDA0300L0220050

Ondeck™ WITH SUPERREEL[™]

Compact Single or Twin Reel Sprayer





4m Versatile Boom

\$930*

Hitchlt Hayman Reece Attachment; Versatile Boom

SKU: ABVL040-GN

4m Compact[™] Boom

Dim (LWH): 980 x 1185 x 1095mm

\$2,220*

4m Folding Boom with Hayman Reece Attachment

SKU: ABM040-GN

COMPACT WITH SUPERREEL[™]











SpotPro™ Motorised Spot Sprayer

TTi's SpotPro[™] sprayers features a powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel.







*GST included | Free Call 1800 816 277 | www.tti.com.au

SpotPro™ DELUXE Deluxe Motorised Spot Sprayer

The SpotPro[™] Deluxe features a fully drainable tank for maximum use of spray mix, mounted to a forkable steel frame.

The powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel. It's the preferred UTV Weed Sprayer, by many satisfied customers.





*GST included | Freight Rates Apply

TopCrop™ Professional UTE Slip-On Field Sprayer

A high performing UTE mounted field sprayer. Boasting a genuine GX200 Honda Motor, coupled to the reliable Bertolini pump, and 30m hose reel.


[AXQ-797]

Gr.

The forkliftable steel frame allows both easy loading and safe securing of your spray unit to your vehicle, allowing it to be put to work in minutes.



KEY FEATURES



22L/min Bertolini Italian Pump



Fully-drainable Sump Tank with 455mm Hinged Lid & Basket Filter



Genuine Reliable Honda GX200



Galvanized Steel Frame with Forklift Pockets



Heavy-duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Pressure Regulator with Gauge for Controlled Spraying & Bypass Agitation System







SuperReel[™]

Field Sprayer with Single Auto-Rewind SuperReel™

SINGLE



The SuperReel[™] slip-on field sprayer is the professionals proven choice.

The heavy-duty electric rewind reel features a powerful 120w 12v motor and is capable of winding up to 150m of hose. The FrictionFree[™] nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.





(H)

34L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine

ump onda

Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame

2-Year Warranty

On Reel



Single 100m 12v Auto Rewind SuperReel™ with Wireless Remote Control



Anti-kink nylon hose with adjustable Turbo400 spray gun

Upgrade to 150m Length Reels





SuperRee[™] **TWIN** Field Sprayer with Single Auto-Rewind SuperReel[™]



Increase Your Spraying Efficiency with the SuperReel™ twin reel slip-on field sprayer.

The professionals proven choice, the SuperReel Sprayer with twin heavy-duty electric rewind reels are capable of winding up to 150m of hose. The FrictionFree™ nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.





54L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine

Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame

2-Year Warranty **On Reel**



Twin 100m 12v auto rewind SuperReel's with wireless remote control



Anti-kink nylon hose with adjustable Turbo400 spray guns

Upgrade to 150m Length Reels





*GST included | Freight Rates Apply



Meet TTi's All-New

Mechanical-Drive SuperReel[™] M-Series Weed Sprayer

SuperRee M-Series MECHANICAL-DRIVE SPRAY UNIT

YOU ASKED, WE LISTENED...

The most powerful, easy-to-use, and easy-to-service mechanical-drive twin reel sprayer on the market.

Meet the new benchmark in weed-spraying... TTi's M-Series.

UP TO 250M OF HOSE



KEY FEATURES



Ergonomic & Easy to Service Designed for operator comfort, safety and easy maintenance. Everything right where you can access it.



Honda Engine & Bertolini Pump Honda GX270 engine coupled to a highperformance Bertolini 580psi pump for ultimate performance & reliability.



Mechanical-Drive Twin Reels

Virtually unstoppable rewind power, with up to 250m of anti-kink nylon hose & Turbo400 adjustable spray guns.



HawkLine[™] Remote Control System TTi's Next-Gen, long-range remote control for engine start/stop, reel rewind & valve activation.



Integrated Flush System Isolates the chemical in the tank & allows fresh water to be drawn & flushed through your pump and lines.



TrailPro[™] ATV/UTV Spray Trailer

irans Tank® Interna

The hitch and go convenience of the TrailPro[™] trailed sprayers for ATV/UTV's, gives you the versatility of reel spraying and boom spraying from the one unit!

The 200L or 400L TrailPro[™] trailer is fitted with the Honda GX200 motor, coupled to the renowned Bertolini Italian pump, so its genuine, powerful, and reliable pump and motor combination. The Standard trailer is fitted with a 8.3 L/min 100psi 12v pump which is mounted underneath a protected pump cover. Simply hitch up to your ATV or UTV and get your spraying jobs done with ease!

TraiPro™ ATV/UTV 12v Spray Trailer

The hitch and go convenience of the TrailPro 12v ATV boom spray trailer is second to none. Quiet yet powerful, the 12v TrailPro is a true pleasure to use and operate.

Compact, tough, economical, the 12v TrailPro makes for safe spraying, and gives the operator the versatility of reel spraying and boom spraying from the one unit.





TrailProTM DELUXE Deluxe ATV/UTV Spray Trailer

HIS PRODUC

The professionals choice, the TrailPro[™] Deluxe provides unmatched performance.

The powerful GX200 Honda Engine, coupled with the Italian Bertolini 22L/min Pump, provides consistent true performance out of the spray gun or boom. The well balanced and robust design of the TrailPro handles rough terrain with ease.

KEY FEATURES



22L/min 290psi Bertolini Italian Pump with Genuine Honda GX200 Engine



Fully-Drainable Sump Tank with 250mm Screw Lid & Basket Filter



Sturdy Hot Dip Galvanised Steel Chassis with High Flotation Tyres



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun or 6m Hose



Boom with Non-drip Nozzles

1.2m Versatile Boom with 4m Swath

Boom with Non-drip Nozzles

Trans Tank[®] International | **Product Catalogue 2025** 63

Auto-Rewind 12v Reel (Upgrade from 30m Poly Reel)

with Solenoid Controls

(for 6m Boom)

GlidePath™

Spray Trailers with Folding Boom

AXQ - 797

TTi's GlidePath[™] Trailers are the perfect choice for farmers looking to keep weeds down and profits up.

Whether spraying weeds or fertilizer, the GlidePath[™] spray trailer will get the job done on time, during the optimum small window of opportunity given.



Genuine Honda GX200 engine with 75L/min Bertolini Italian Pump



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Fully-Drainable Poly Tank with 25-Year Warranty

Pressure Regulator

Controlled Spraying

with Gauge

for Accurate &

KEY FEATURES




Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



50L Fresh Water Tank for Hand Washing

*GST included | Free Call 1800 816 277 | www.tti.com.au



*GST included | Freight Rates Apply

Superfail™ Spray Trailers with SuperReel™ Auto-Rewind Reel

Speak to us about your specific requirements

KEY FEATURES



Genuine Honda GX200 Engine with 54L/min 580psi Bertolini Italian Pump

Fully-Drainable Poly Tank with 25-Year Warranty

B69 917D

Fitted with **Twin SuperReels**



Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



Protected 3 Nozzle Boom & Twin 100m Auto **Rewind SuperReels**

TTi's SuperTrail[™] Trailers are the perfect choice spray trailer for councils, Landcare & environmental organisations.

Custom built to suit your requirements, the SuperTrail spray trailer will get the job done on time, even in the toughest terrain.



1,000 Litres

Braked / Registerable; Single Axle Trailer; GX200 Honda; 54 L/min 40 Bar Pump SKU: PRAQS1000L0540TQ2

951 49A

Panther[™] 1100L New Spray Trailer

Trans Tank® International-

NEW!

D

SilageMaster™-

Silage Applicator with Wireless Remote Control

Silage applicator kit with 100 & 200 litre spray tank, double nozzle silage boom, regulator kit & 12 volt 8.3 L/min 100psi pump & wireless remote on/off switch.





\$**1,915*** **100** Litres

Silage Applicator with 2 Nozzle Boom 815 x 450 x 600mm (LWH) SKU: PJA0100L

\$2,060*

200 Litres

Silage Applicator with 2 Nozzle Boom 940 x 600 x 760mm (LWH)

SKU: PJA0200L



*GST included | Free Call 1800 816 277 | www.tti.com.au

CUSTOM SPRAY EQUIPMENT

Call to Discuss Your Customised Spray Solutions!

CHOOSE FROM A HUGE RANGE OF SPRAY EQUIPMENT

We build spray trailers for councils, large contractors, mines & much more!

Give our helpful customer service team a challenge to build the sprayer you need!

Call to Discuss Your Customised Spray Solutions!

1800 816 277



Link0n[™]

3-Point Linkage Professional Sprayers

Hook up and go with TTi's LinkOn™ Plus Sprayer Range.

LinkOn

From small acreage farms to large scale operations, TTi's range of 3 point linkage boom sprayers are the perfect choice to get your boom spraying done on time using your tractor.



a sa

HAND WASH TANK

70



LINKON[™]

3-Point Linkage Professional Sprayers

Note: Pricing below does not include the boom or hose reel






SPEC UP YOUR LINKON™

3-Point Linkage Professional Sprayers







OTHER OPTIONS

\$900*

30m Reel

30m Poly Hose Reel with Spray Gun SKU: ATHW03X030M10G



\$3,165*

Foam Marker

Double Sided Deluxe Foam Marker Kit Fitted SKU: ATF0024DF



\$3,750* GPS System

TeeJet Matrix 430 Guidance System SKU: ATCG0430



\$560* Main Elec On/Off

Main On/Off valve with 1 way switch box (for 600L, 800L, & 1000L)

SPRAY ACCESSORIES

Pumps

Booms

Guns

Nozzles

Reels

Foam Marker Complete Kit - Double Sided

- Double sided deluxe model with solenoid controls
- In-cab controller for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working pressure 0.75 bar at 12 volt DC
- Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts & more...

GPS Guidance System - Matrix 430

TeeJet Matrix 430

- GPS/GLONASS engine with ClearPath technology ٠
- Easy to install and easy to operate
- Compact install in front of the steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth[™] coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user selectable displays for worked area, worked time & more...

GPS Guidance - Matrix 570G

TeeJet Matrix 570G

- The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more...



\$3,165*



\$3,750* SKU: ATCG0430



\$6,195* SKU: ATCG0570



*GST included | Free Call 1800 816 277 | www.tti.com.au

74

Remco 12v Pumps TESTED | TRUSTED | CERTIFIED







VARIANTS





3.8 L/min 40psi SKU: I-11805

PSI	LMP	AMPS
OPEN	3.79	1.75
20	2.84	2.25
40	2.27	3.00

\$432* 15.1 L/min 100psi

SKU: I-12572

LMP

17.24

14.21

11.56

9.29

8.34

7.20

AMPS

4.00

6.00

8.00

9.50

10.50

11.75

PSI

OPEN

20

40

60

80

100

	\$ 283 *
	4.5 L/min 60psi
	SKU: I-11353
PSI	LMP
OPEN	4.55

3.98

3.60

3.03

20

40

60



344*	
/min 100 j	osi
(U: I-11355	
LMP	AMPS
8.33	2.65
7.38	4.40
6.06	5.80
5.49	6.70
5.11	7.10
3.79	8.00
	/min 1000 (U: I-11355 LMP 8.33 7.38 6.06 5.49 5.11



	\$422*	
11.4 L/min 60psi		
	SKU: I-11347	
PSI	LMP	AMPS
OPEN	11.75	4.00
20	8.72	6.00
40	7.20	8.00
60	5.50	9.50



AMPS

3.50

4.50

5.25

5.50

\$ 530 *			
	20 L/min 60psi		
	SKU: I-11354		
PSI	LMP	AMPS	
OPEN	20.09	8.00	
20	18	11.00	
40	14.59	15.00	
60	11.37	18.00	



\$865*				
26 L/min 100psi				
SKU: I-11796				
PSI	LMP	AMPS		
OPEN	26	11.00		
20	24	12.00		
40	20	15.00		
60	16	19.00		
80	13	23.00		
100	9	25.00		

12V PUMP PARTS & ACCESSORIES

REMCO PUMP SPARES

SKU	DESCRIPTION	RRP*(\$)
3300-PSW	Pressure switch, Remco 3300 Series 60PSI	\$39
3300-PSW-100	Pressure switch, Remco 3300 Series, 100PSI	\$64
VHA7863-7F77	Valve Housing, Remco 3300 Series	\$88
PSW-580R-60	Pressure Switch, Remco 5500 Series, 60psi	\$64
VHA5513-1X77	Valve Housing, Remco 5500 Series	\$ 101

DELAVAN PUMP SPARES

SKU	DESCRIPTION	RRP*(\$)
CDPLHA78607E77	Lower housing assy - for 7801 pumps; Diaphragm	\$ 107
CDPLHA78637F77	Lower housing assy - for 7800 pumps; Diaphragm	\$ 107
CDP53LHA002	Lower housing assy - for 7800 pumps; Geolast Diaphragm	\$ 168
CDPVHA78637F77	Valve housing assy for 7800 pumps	\$ 93
CDPUHA78637F77	Upper housing assy for 7800 pumps	\$93
CDPUHA78637F77T	Upper housing assy for 7812 pumps	\$93
CDP2200PSW	Pressure switch for 2200 pumps	\$28
CDP7800PSW60	Pressure switch to suit 7800 series pumps - 60psi	\$39
CDP7800PSW100	Pressure switch to suit 7800 series pumps - 100psi	\$52



Quick Attach Filters

- Available in 2 sizes to suit Delavan and Remco pumps
- Stainless steel mesh filter
- Simple push in & lock fitting no tools required

SKU	DESCRIPTION	RRP*(\$)
ATPFS050Q10	Quick attach filter for 7800 pumps	\$69
ATPFS050Q12	Quick attach filter for 5900 pumps (suits Remco Pumps)	\$69

Quick Attach Regulator & Gauge

- Fitted standard to our professional spot sprayers
- Simple push in & lock fitting no tools required
- Set & forget pressure control
- Excess fluid returns to tank & provides agitation

SKU	DESCRIPTAION	RRP*(\$)
ATRM020LQ10G	Quick attach regulator & gauge for 7800 pumps	\$181
ATRM020LQ12G	Quick attach regulator & gauge for 5900 pumps (suits Remco Pumps)	\$181



- 3.6 metre wire harness kit with on/off switch
- Power control switch & fuse protection included
- Easy quick connect 2-pin plugs
- Kit includes both lighter adapter and alligator clips
- Max 10 Amp draw

SKU	DESCRIPTION	RRP*(\$)
ATCWL03612VSAC	Wire harness kit complete - 10 Amp	\$69



BERTOLINI SPARE PARTS KITS

SKU	DESCRIPTION	RRP*(\$)
CBK949879973	O-ring kit for Poly 2020	\$ 160
CBK949888973	SS valves kit for Poly 2020	\$167
CBK949871973	Diaphragm Kit - 20VF/RT4Poly2020 (Buna)	\$144
CBK039830973	Pump Seals Kit - PA330	\$164
CBK039850973	Valve Kit for PA330 (up to Nov 2004)	\$202
CBK039875973	Valve Kit for PA330.1 (from Dec 2004)	\$297
CBK039851973	Diaphragm Kit - PA330 (Buna)	\$144
CBK039873973	Diaphragm Kit - PA330 (Desmopan)	\$263

BERTOLINI **PUMP SPARE PARTS**

SKU	DESCRIPTION	RRP*(\$)
CBK639880973	Pump Seals Kit - Poly 73/2073	\$144
CBK639870973	Valve Kit - Poly 73/2073	\$474
CBK639871973	Diaphragm Kit - Poly 73/2073 (Buna)	\$188
CBK639873973	Diaphragm Kit - Poly 73/2073 (Desmopan)	\$357
CBK239880973	Valve Kit - PA530	\$341
CBK239829973	Valve Kit - PA530	\$575
CBK239828973	Buna Diaphragm Kit for PA530	\$191

Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner, powerful, quiet performance that you'd expect from a larger engine - but in a very compact package.





HONDA - THE MOST RELIABLE ENGINE -

Need it coupled to a Honda GX200? just add **\$1.491***

GX35 "Commando" \$2.175* 12L/min Pump: 30m Reel and Gun SKU: APP0120GH030G

34L/min Pump

3 Diaphragms: 13/8" Shaft: 580psi/40bar Max Pressure; Weight: 8.3kg

\$3,805* \$1.650*

Bare Pump & Shaft SKU: APL0340S

1,810*

Pump & Gear Box SKU: APL0340KG



\$2.260^{*} Bare Pump & Shaft

SKU: APL0540S



5 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg

\$2,455*

Bare Pump & Shaft SKU: APL1260S



Bare Pump & Shaft Pump & Gear Box SKU: APL0750KG

\$**2,605***

210L/min Pump

3 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg

§5,105*

Bare Pump & Shaft SKU: APL2100S

22L/min Pump 2 Diaphragms: 13/8" Shaft: 290psi/20bar

Max Pressure; Weight: 6.6kg

\$1,405* **\$1.850*** Bare Pump & Shaft Pump & Gear Box

SKU: APL0220S SKU: APL0220KG

54L/min Pump 3 Diaphragms; 13/8" Shaft; 580psi/40bar Max Pressure

\$2.895*

Pump & Gear Box SKU: APL0540KG

SPRAY ACCESSORIES

Bertolini Regulators

- 6 90 L/min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 Outlets with 10mm hose tails and ball valves
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control


Arag Regulators

- Polypropylene high capacity modular system with viton seals
- Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by CA463011S electric valves to give in cab control of boom sections.
- When ordering electric controllers select switch box to suit application

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- Models with 1, 2 and 4 output sections
- Available main valve control and pressure settings adjustment



SPRAY ACCESSORIES

Filters

- keep your spray clear & clean!
- reduce nozzle blockage & protect your pump
- Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen filter



Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- Heavy duty brass ½" BSP, 12VDC solenoid valves
- Suitable for most chemicals
- Viton diapahragm

Choose From 1-way or 3-way Solenoid Kits



\$336*

1-Way Solenoid Valve Kit

10 bar (140psi) 3.6m Electrical Leads ½" BSP Port Solenoid SKU: ATVS10B036



\$930*

3-Way Solenoid Valve Kit

10 bar (140psi) with 3 way switch box and cables ½" BSP port solenoid SKU: ATVS10BX3W

Spray Hose -

Highly Flexible Spray Hose

- High quality TTi agricultural spray hose
- High flexibility, kink resistant
- Working pressure 40 bar (580 psi)
- Burst Pressure 150 bar (2200 psi)

Great Value Kink Resistant Hose

• Suction hose available also - call for details

SAFE

UP TO 40 BAR

0

0

- Black ribbed outer cover with a specially formulated yellow chemical resistant tube
- 10mm & 12mm hose available in 100m rolls Call for your price

PRESSURE SPRAY HOSE

SKU	DESCRIPTION	RRP*(\$)
CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 13
CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ 100
CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$16
CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ 1 36
CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$33
CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$59

SUCTION HOSESKUDESCRIPTIONRRP*(\$)CUUC19MM19mm Clear Suction Hose (not for pressure lines) / metre\$21STAHS825BLK25mm Suction Hose (not for pressure lines) / metre\$23STAHS83232mm Suction Hose (not for pressure lines) / metre\$28STAHS83838mm Suction Hose (not for pressure lines) / metre\$30

POLY REELS

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- NEW ReelPro Engineered Steel Design
- Hose ReelOptimised full flow ball bearing swivel easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit



\$900*	\$900*	\$1,650*
30m Reel & Hose	30m Reel & Hose	100m Hose & Reel
Base Mount - 10mm Hose & Free Spray Gun	Side Mount - 30m Hose Reel w/ 10mm Hose & Free Spray Gun	Base Mount - for 10mm Hose and Spray Gun
SKU: ATHWO3BO3OM10G	SKU: ATHWO3XO3OM10G	SKU: ATHW10B100M10G

SuperReel[™] -


Remote Controlled Rewind Hose Reel

Designed to perform in the toughest terrain, the remote controlled SuperReel[™] spray reels are guaranteed to make the job quick, easy and safe for any operator.

- Powerful belt-driven 12v motor. Geared reduction for maximum torque and power efficiency
- 100m or 150m 10mm ID anti-kink nylon hose
- Hose roller guide allows for one-person operation, from any angle
- Manual override button for powered retraction, without the remote control
- Easy bolt-down points with tough powder-coated finish
- Wireless remote transmits up to 200m in uneven terrain!
- Interchangeable left/right spray gun holder
- Turbo 400 spray gun (optional accessory)







Auto-Rewind Reel 600 x 355 x 450mm (LWH) SKU: ATHR050M10-R





Auto-Rewind Reel 810 x 355 x 675mm (LWH) SKU: ATHR100M10



\$5,735*	
150m	

Auto-Rewind Reel 810 x 355 x 675mm (LWH) SKU: ATHR150M10



SPRAY ACCESSORIES - HOME GARDEN SPRAY LANCES

Add any of these to your versatile or telescopic lances

Spray Hoods

Versatile Lance		
 Lightweight all-purpose lance 		
 Virtually unbreakable shaft 		
 Adjustable spray nozzle Overall length: 760mm 	\$80*	\$ 18 *
Maximum pressure: 10 bar	Versatile Lance	Nozzle Replacement
 Choose from a large range of compatible accessories 10mm hosetail 	with 10mm Hose Tail SKU: AHLOO2T	SKU: CGP726
Economy Lance		
 Lightweight chromed aluminium Adjustable spray nozzle 		
Filter in handle 10mm hose barb connection	\$ 54 *	\$17*
850mm overall length	Economy Lance	Nozzle Replacement
	with 10mm Hose Barb Length: 850mm SKU: AHL009	SKU: CPLPOO9N
		-
Telescopic Lance	~	
 Lightweight lance with long reach for trees and 		
 bushes Very easily adjusted 	\$122*	\$18*
Maximum pressure: 10 bar (145 psi)	Telescopic Lance	Nozzle Replacement
 Overall length: from 710 to 1150mm Compatible with Inter accessories as shown 	with 10mm Hose Tail	SKU: CGP726
• 10mm hosetail	Length: 760mm SKU: AHLOO3T	380. 601720
		-
Spray Booms		and the second s
Three boom types to choose from to speed up		
your ground coverage. Lightweight for ease of use.	\$ 91 *	\$ 123 * / \$141*
• Lightweight für ease of use.	Telescopic Lance	Quadruple Nozzle Boom
	Nozzle Boom SKU: ATAOORF	with Cone/Fan Spray Nozzles 1.5m SKU: ATAOOEC (CONE) / ATAOOEF (FAN)

 Hit your target every time the Inter Elite Spray Hood 	without collateral damage, with ds.
\$ 45 *	\$ 57 *
Conical Hood	Rectangular Hood
SKU: ATAOOC	SKU: ATAOOB

Herbicide Nozzles

• Consistent application rates for band spraying



Spray Hoods

Tubes can be manually moulded for specialised spraying requirements.

Two models available, one with adjustable cone nozzles and one with fan nozzles.

Used for basal bark spraying and ant block treatments.



*GST included | Free Call 1800 816 277 | www.tti.com.au

SPRAY ACCESSORIES - SPRAY GUNS

Heavy Duty Pistol Grip

- All metal construction stainless steel, aluminium & brass
- High pressure, long range spray gun
- Teflon seal
- Overall Length: 180mm

\$272*

Pistol Grip Spray Gun

SKU: AHG104ST



• Max. pressure: 55 bar

with 3mm nozzle

Max. flow: 15 L/min (580psi)

(800psi)

- Heavy Duty Spot Spray Gun
 - Trigger adjustable spray pattern with lock
 - Max pressure: 40 bar (580psi)
 - Overall length: 300mm

Spot 300 Lance

Top Gun

- High pressure, long range, multipurpose spray gun
- Front handgrip allows quick spray pattern selection
- Fitted with trigger lock and ½" swivel inlet
- Overall length: 700mm
- ♦ Max range: 25m @ 50bar
- Max pressure: 60 bar (870psi)
- Max flow rate: 135 L/min



KITS REPAIR KIT - CPLK104R NUT & WASHER FOR NOZZLE - CPLP104N 1.5MM NOZZLE - CPLP104N15 2.0MM NOZZLE - CPLP104N20

2.5MM NOZZLE - CPLP104N25 3.0MM NOZZLE - CPLP104N30 3.5MM NOZZLE - CPLP104N35 4.0MM NOZZLE - CPLP104N40



\$280* Spot 300 Lance SKU: AHG105ST


	NIT O	
	AIR KIT - CPLK NUT & WASHE	
5M	M NOZZLE - CPLP10	5N15
2.3M	IM NOZZLE - CPLP10	15N23

KITS



KEEP YOUR PLANTS SAFE!









SPRAY ACCESSORIES - SPRAY GUNS



Turbo 400 Spray Gun

- Professional multipurpose spray gun with Viton seals
- One hand operation for easy pattern adjustment and on/off trigger
- Adjustable turbo atomiser
- Comes with swivel & 10mm hose tail
- Max pressure: 50 bar (725psi)
- Overall length: 400mm

\$<mark>222</mark>* Turbo 400 Spray Gun

SKU: AHG102ST

KITS --- REPAIR KIT SKU: CPLK102R 2.3MM CERAMIC NOZZLE CERAMIC NOZZLE

SKU: CPLP102N23 3.5MM CERAMIC NOZZLE SKU: CPLP102N35



Multi-Purpose Spray Gun

- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger guard favoured by many operators
- Swivel & 10mm hose tail supplied
- Max pressure: 50 bar (725psi)
- Overall length: 400mm








BAUG MARS

SPRAY ACCESSORIES - SPRAY BOOMS

For Firebreaks, Rough Country Spraying & Locust Control









SPRAY ACCESSORIES - SPRAY BOOMS

Economy Booms **Versatile Boom** • 1.2 metre compact boom • Sprays 4 metre swath width • Compatible with any spot sprayer with pump - 6.5 L/min or more • Taps for 7-way nozzle control Versatility of spraying options \$205* \$484* 2 Metre Boom **3 Metre Boom** 2m Spray width 3m Spray width SKU: ABS020 SKU: ABS030 Only 1.2m; Sprays 4m ---\$930* \$565* \$675* 4m Boom 4m Boom 4 Metre Boom Sprays up to 4 metres Haymen Reese Goose neck attachment 4m Spray width with Versatile Boom SKU: ABVL040 SKU: ABSO40 SKU: ABVL040-GN



Compact[™]

Compact Galvanised Spray Boom







SKU: ABMO60





Galvanised Boom with Nozzle Protection SKU: ABM080

NEW & IMPROVED DESIGN

Very easy to fold/unfold for spraying and traveling positions



Spring-loaded breakaway with nozzle protection

Non-drip nozzle bodies with Teejet AIXR Air Induction spray tips



88

Easy to mount onto your existing sprayer!

Fitted with

TeeJet Air Induction Nozzles

Pinnacle[™] 'Plus'

Galvanised Spray Boom with Self Level

\$**5,740*** 8m Boom

Galvanised Boom with Self-levelling Kit SKU: ABM080PS

\$**6,010*** 10m Boom

Galvanised Boom with Self-levelling Kit SKU: ABM100PS

Self-levelling booms allows boom to ride smoothly over uneven terrain

Breakaway boom with nozzle protection

Non drip nozzle bodies with Teejet AIXR Air Induction spray tips Easy to mount onto your existing sprayer!

Hot dipped galvanised steel framework

Optional upgrade to Tri-nozzle bodies

\$ 6,170* 12m Boom Galvanised Boom with

Self-levelling Kit

XR

Air Induction






Flat Spray Tips

110° wide, tapered flat spray angle with air induction technology offers better drift management

Made of a two piece UHMWPE polymer construction with VisiFlo® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a Venturi air aspirator

Available in seven tip capacities with a wide operating pressure range: 15-90 PSI (1-6 bar)



SKU	DESCRIPTION	COLOUR	RRP*(\$)
CNSAIXR110015X10			\$199*
CNSAIXR110020X10			\$199*
CNSAIXR110025X10	Air induction XR		\$199*
CNSAIXR110030X10	Flat Spray Tips		\$199*
CNSAIXR110040X10	(PACK of 10)		\$199*
CNSAIXR110050X10			\$199*
CNSAIXR110060X10		8	\$199*

	\bigcirc	DROP							I/ha ∠	<u>_</u> 50	cm	-				
	bar	SIZE	NOZZLE IN I/min	4 km/h	5 km/h	6 km/h	7 km/h	8 km/h	10 km/h	12 km/h	16 km/h	18 km/h	20 km/h	25 km/h	30 km/h	35 km/h
	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
AIXR110015	3.0	C	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
(100)	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	5.0	М	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
	6.0	М	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5
	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8
	2.0	VC	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3
AIXR11002	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
(50)	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5
AIV D110025	2.0	XC	0.81	243	194	162	139	122	97.2	81.0	60.8	54.0	48.6	38.9	32.4	27.8
AIXR110025	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
(50)	4.0	C C	1.14	342	274	228	195	171	137	114 128	85.5	76.0	68.4	54.7	45.6	39.1
	5.0 6.0	c	1.28 1.40	384 420	307 336	256 280	219 240	192 210	154 168	128	96.0 105	85.3 93.3	76.8 84.0	61.4 67.2	51.2 56.0	43.9 48.0
		XC						102								
	1.0 2.0	XC	0.68 0.96	204 288	163 230	136 192	117 165	102	81.6 115	68.0 96.0	51.0 72.0	45.3 64.0	40.8 57.6	32.6 46.1	27.2 38.4	23.3 32.9
AIXR11003	3.0	VC	1.18	354	230	236	202	144	142	96.0	88.5	78.7	70.8	56.6	47.2	40.5
	4.0	C	1.18	408	326	230	202	204	163	136	102	90.7	81.6	65.3	54.4	40.5
(50)	5.0	c	1.50	408	365	304	255	228	182	152	114	101	91.2	73.0	60.8	52.1
	6.0	c	1.52	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
	1.0	XC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
AIXR11004	3.0	VC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2
(50)	4.0	vc	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
(30)	5.0	c	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9
	6.0	c	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
	1.0	XC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
AIXR11005	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5
(50)	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8
(50)	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1
	6.0	С	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7
	1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5
AIXR11006	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3
(50)	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
(00)	5.0	С	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115
Note: Always Fabulations a									Ve Fi	ery	e Fine	 Mediun	n Coar	se V Co		ctremely Coarse

VISIFLO

Air Induction



Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, **rounded internal passage** to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

Tierbicides, fuligi	cides and insecticides				2.0
SKU	DESCRIPTION	COLOUR	RRP*(\$)	TT11004 (50)	3.0 4.0
CNSTT110010X10		- High	\$181*		5.0 6.0 1.0
CNSTT110015X10			\$181*	TT11005	2.0
CNSTT110020X10	Turbo TeeJet		\$181*	(50)	4.0 5.0
CNSTT110025X10	Angle Flat Spray Tips		\$181*		6.0 1.0
CNSTT110030X10	(PACK of 10)		\$181*	TT11006 (50)	2.0 3.0 4.0
CNSTT110040X10			\$181*	(30)	5.0 6.0
CNSTT110050X10			\$181*		1.0 2.0
CNSTT110060X10			\$181*	TT11008 (50)	3.0 4.0 5.0
CNSTT110080X10		110	\$181*		6.0

B (1)) bar	DROP SIZE	CAPACITY ONE NOZZLE IN I/min
	1.0	C	0.23
	2.0	М	0.32
TT11001	3.0	F	0.39
(100)	4.0 5.0	F	0.45 0.50
	6.0	F	0.50
	1.0	c	0.34
	2.0	М	0.48
TT110015	3.0	м	0.59
(100)	4.0	М	0.68
	5.0	F	0.76
	6.0	F	0.83
	1.0		0.46
TT11002	2.0 3.0	C M	0.65
(50)	4.0	M	0.91
(30)	5.0	м	1.02
	6.0	F	1.12
	1.0	VC	0.57
	2.0	С	0.81
TT110025	3.0	М	0.99
(50)	4.0	м	1.14
	5.0	м	1.28
	6.0	M VC	1.40
1	1.0 2.0		0.68 0.96
TT11003	3.0		1.18
(50)	4.0	м	1.36
(30)	5.0	м	1.52
	6.0	м	1.67
	1.0	XC	0.91
	2.0		1.29
TT11004	3.0		1.58
(50)	4.0	C	1.82
	5.0 6.0	M M	2.04 2.23
	1.0	XC	1.14
	2.0	VC	1.61
TT11005	3.0		1.97
(50)	4.0		2.27
	5.0	С	2.54
	6.0	М	2.79
	1.0	XC	1.37
TT11006	2.0 3.0		1.94
	3.0 4.0		2.37 2.74
(50)	5.0		3.06
	6.0	м	3.35
	1.0	XC	1.82
	2.0	VC	2.58
TT11008	3.0		3.16
(50)	4.0		3.65
	5.0	С	4.08
	6.0	м	4.47

TURBO

2, 4 - D Compliant



Twin Flat Spray Tips

110° wide angle, air induction, **tapered flat spray tip pattern** based on the **patented outlet orifice design** of the original **Turbo TeeJet® nozzle**

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a **Venturi air aspirator** resulting in less drift


Applications

Herbicides, fungicides and insecticides

SKU	DESCRIPTION	COLOUR	RRP*(\$)	
TTI110015-VPX10			\$234*	Т
TTI11002-VPX10	Turbo TeeJet	1	\$234*	
TTI110025-VPX10		8.4	\$234*	
TTI11003-VPX10	(PACK of 10)	1	\$ 234 *	Т
TTI11004-VPX10		TT	\$234*	

	CITY
PSI DROP ONE NOZLE IN GPM UZ/	IE ZLE V
15 UC 0.092 1 20 UC 0.11 1	24
30 UC 0.13 1	7
	9
	3
(100) 70 XC 0.20 2	6
(100) 60 XC 0.18 2 70 XC 0.20 2 80 XC 0.21 2 90 XC 0.23 2 90 XC 0.23 2	7
100 XC 0.24 3	1
20 116 0.14 1	5 8
30 UC 0.17 2	2
40 UC 0.20 2	6
(FO) 60 UC 0.24 3	1
70 XC 0.20 3	3
90 XC 0.30 3	8
100 XC 0.32 4	1
20 110 0.19 2	9
30 UC 0.22 2	8
40 UC 0.25 3	12
(50) 60 UC 0.31 4	0
70 XC 0.33 4	2
90 XC 038 4	5
100 XC 0.40 5	1
15 UC 0.18 2 20 UC 0.21 2	3
30 UC 0.26 3	3
TTI11003 40 UC 0.30 3 50 UC 0.34 4	8
(FO) 60 UC 0.37 4	7
70 XC 0.40 5	1
	4
100 XC 0.47 6	0
15 UC 0.24 3	6
	5
TTI 1000 40 UC 0.40 5	1
(50) 60 UC 0.49 6	3
70 XC 0.53 0	8
80 XC 0.57 7 90 XC 0.60 7	3
100 XC 0.63 8	1
15 UC 0.31 4 20 UC 0.35 4	0
30 UC 0.43 5	5
40 UC 0.50 6 50 UC 0.56 7	4
(50) 60 UC 0.61 7	8
	4
00 XC 075 0	6
100 XC 0.79 10	1
20 UC 0.42 5	7
30 UC 0.52 6	7
	7
(FO) 60 UC 0.73 9	3
(50) 70 XC 0.79 10 80 XC 0.85 10	
90 XC 0.90 11	5
100 XC 0.95 12	2





۵

TransTank

AGRI

JCB

AGI

9 | | |

DieselSergeant™

Low-Profile Diesel Refueling Units

The Reason to Say GoodBye to Jerry Cans!

The low-profile, compact DieselSergeant[™] is a simple yet effective diesel refueling tank. The pump is mounted on a sturdy 'squat' tank, with a large lid for easy access to the tank.


Pin-mounting provisions make it easy to secure to tank for safe transportation.



Fits Where Others Don't!

Low Profile, Space Saver Design







DieseMajor™ – with Honda GX50 Petrol Pump

The DieselMajor[™] lives up to its name, as the big boy of portable diesel tanks.

The DieselMajor[™] will take charge of your onsite diesel refueling, with a 10m retractable reel and high flow pump making your refueling task a breeze.





210 L/min Pump, 10m Reel			
\$6,245*	\$6,545*	\$6,775*	
600 Litres	800 Litres	1,000 Litres	
SKU: DUCDO600LHB210	SKU: DUCDO800LHB210	SKU: DUCD1000LHB210	



DieselCaptain

Portable Diesel Tanks

Experience

Hassle-Free Refueling

The Internationally Certified DieselCaptain™ is your ultimate and reliable refueling partner!

This range of poly diesel fuel tanks are equipped with world-class pumps, hoses and auto shut off nozzles, so you can be assured your diesel refueling is done quickly and efficiently.



INCORPORATED LIFTING HANDLES

96



Portable Diesel Tanks







KEY FEATURES



3/4" or 1" Auto

Shut Off Nozzle






6m (Piusi) or 4m

(Transfer40) Anti-

kink Delivery Hose





Double-hinged Lock-able Pump Cover Provides


Pump Protection

All DieselCaptain[™] tanks are **moulded with** our unique aluminium lid mounting ring for incredible strength!

DID YOU KNOW?

This unique multi-seal system keeps the moisture out and your diesel in!





*GST included | Free Call 1800 816 277 | www.tti.com.au



DieselCadet[™]

Diesel Transfer Refueling Tanks



Tank Sizes: **50 - 10,000 Litres**

Free-Standing with 25-Year Warranty

The DieselCadet[™] poly diesel tanks are widely regarded for their versatility when transporting larger volumes of diesel. These free-standing diesel cartage tanks can be tray-mounted and kitted out with pumps and hose reels to suit different applications.

Note: Supplied with Pins for Easy Mounting & Securing (Above 500L)

KEY FEATURES 3/4" Drain Bung and Optional Brass Outlet

Heavy-duty, UV Stabilized Tank with 15-Year Warranty



Free-Standing Diesel Tanks

4 x Mounting Pins Supplied for Easy & Secure Mounting



*GST included | Free Call 1800 816 277 | www.tti.com.au





% Orain Bung; Optional Outlet



Top-Mount Steel Pump Plate \$300*



400 Litres

1620 x 710 x 510mm (LWH) SKU: DTC00400AL

\$1,250*

ø250 Lid & Seal Assembly;¾" Drain Bung; Optional Outlet

Steel Skid-Frame \$830* SKU: ASFD00400A
Top-Mount Steel Pump Plate \$300*





Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 16pcs \$208*



1430 x 1220 x 670mm (LWH) SKU: DTC00800L

\$2,065*

Mounting Pins Provided; ø455 Lid & Seal Assembly; 3/4" Drain Bung; Optional Outlet

★ LiquidLocker[™] 17pcs \$221*

DIESELCADET[™]





1,500 Litres

1720 x 1230 x 1000mm (LWH) SKU: DTC01500L

\$2,995

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 40pcs \$520*



1,000 Litres

1430 x 1220 x 835mm (LWH)

SKU: DTC01000L

\$2,270*

Mounting Pins Provided; ø455 Lid & Seal Assembly;

³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 24pcs \$312*



1,200 Litres

1720 x 1230 x 840mm (LWH)

SKU: DTC01200L

\$2,400*

Mounting Pins Provided; ø455 Lid & Seal Assembly;

³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 29pcs \$377*

3/4" Drain Bung; Optional Outlet

★ LiquidLocker[™] 66pcs \$858* Steel Mounting Frame \$2,810*
SKU: ASFC02000



³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 85pcs \$1.105* **Steel Mounting Frame \$4,375*** SKU: ASFC03000

102 **Trans Tank® International** | Product Catalogue 2025 *GST included | Free Call 1800 816 277 | www.tti.com.au

DIESELCADET[™]





Steel Mounting Frame \$4,375* SKU: ASFC03000

(1) DessiCodel



2760 x 2000 x 1400mm (LWH) SKU: DTC05000L

\$8,340*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 138pcs \$1,794* **Steel Mounting Frame \$5,745*** SKU: ASFC05000



★ LiquidLocker[™] 240pcs \$3,120* Steel Mounting Framee \$7,220*
SKU: ASFCA08000



THIS PRODUCT IN ACTION!



10,000 Litres

3480 x 2250 x 1940mm (LWH) SKU: DTC10000L

\$16.505*

Mounting Pins Provided; ø455 Lid & Seal Assembly; 3/4" Drain Bung; Optional Outlet

☆ LiquidLocker™ 295pcs		\$3,	835*
★ Steel Mounting Frame	\$7,22	20*	SKU: ASFC07000

3390 x 2250 x 1390mm (LWH) SKU: DTC07000L \$11.295*

7,000 Litres

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 190pcs \$2,470*

Steel Mounting Frame \$7,220*
SKU: ASFC07000

***GST included** | Freight Rates Apply

Trans Tank[®] International | **Product Catalogue 2025** 103

DieselCadet[™]

3

Free-Standing Diesel Tanks

with Pump & Optional Skid

Tank Sizes: **1,000** - **6,000 Litres**





KEY FEATURES



Reliable 60L/min 12v Fluid Italian Pump with 4m Battery Cables



Large Removable Plate Lid with Pad-Lockable Filler Cap



6 Meters 1" Delivery Hose & Auto Shut-off Nozzle

very ut-off

4 x Mounting Pins Supplied for Easy and Secure Mounting

Comes with 25-Year Warranty

V95*202

JCE

The DieselCadet[™] with pump is a complete refueling solution, ready to be mounted onto a trailer or left stationary on the ground. Backed with a 15 Year Tank Warranty.



DieselCadet™ with 60L/min 12v Pump				
CODE	CAPACITY (LITRES)	RRP*(\$)	STEEL FRAME	
DUC1000LF060V1	1,000 Litres	\$3,620*	\$ 2,820 *	
DUC1200LF060V1	1,200 Litres	\$3,920*	\$ 2,990 *	
DUC1500LF060V1	1,500 Litres	\$ 4,390 *	\$ 2,700 *	
DUC2000LF060V1	2,000 Litres	\$5,230*	\$ 2,810 *	
DUC2400LF060V1	2,400 Litres	\$ 5,860 *	\$ 2,810 *	
DUC3000LF060V1	3,000 Litres	\$ 7,160 *	\$ 4,375 *	
DUC4000LF060V1	4,000 Litres	\$ 8,745 *	\$ 4,375 *	
DUC5000LF060V1	5,000 Litres	\$ 10,100 *	\$ 5,745 *	
DUC6000LF060V1	6,000 Litres	\$ 12,550 *	\$ 5,745 *	



·····

UPGRADE OPTIONS



DIESEL REFUELING TRAILERS

DieselPo

AXQ - 797

DieselPatrol14[™] -

Diesel Transfer Refueling Trailers

TTi's DieselPatrol14[™] Refueling Trailer is a simple yet effective solution, at an affordable price.

Providing serious bang for your buck, the DieselPatrol14 provides safe and hassle-free refueling for your plant and equipment.

Featuring a robust galvanized chassis, heavy duty poly diesel tank, high flow pump mounted in a toolbox, the DieselPatrol14 will deliver effortless refueling of equipment.





\$9,755*

1,000 Litres (UnBraked)

UnBraked with 50L/min 12v Piusi Pump; with Lights; Unbraked SKU: DSRX1000LF045V1

\$12,335*

1,000 Litres (with Brake)

Braked / Registerable with 50L/min 12v Piusi Pump; with Lights; with Brakes SKU: DSRQ1000LF045V1





We Are an Approved **VicRoads Trailer Registration Dealer!**

DieselPatrol15[™]

Diesel Refueling Trailers

500 CASE

TTi's DieselPatrol15[™] Refueling Trailers are the professionals choice for providing safe and hasslefree refueling for your plant and equipment.

The DieselPatrol15 features a robust galvanized chassis, heavy duty poly tanks, high flow pumps, and optional hose reels, for ultimately delivering effortless refueling of your equipment.









KEY FEATURES



with 65mm 2T-Rated Galvanised Axles & 15" Landcruiser Wheels



Galvanised Chassis



Recessed LED **Combination Tail Lights** & License Plate Light

10m Retractable Reel

& 1" Nozzle

with 10m of 25mm Hose



Fully-Drainable UV Stabilised Poly Tank with LiquidLocker™ Baffles



4-Digit Mechanical Flow Meter



Fluid Italian 60L/min 12v Pump Mounted in Lockable Toolbox



GX160 Honda & 490L/min Pump with Pressure Relief

PUMP OPTIONS

DIESELPATROL15 [™] Single Axle Refueling Trailers				SING	LE AXLE		
					SCAN TO SEE THIS PRODUCT IN ACTION!		
	800 Litr	es			1,000 Lit	res	
12v 60L/min Pump Honda GX160 490L/min Pump		12v 60	L/min Pump	Honda GX1604	190L/min Pump		
\$14,668*	\$ 17,408 *	\$16,573 *	\$ 19,313 *	\$14,788*	\$ 17,793 *	\$16,693*	\$ 19,698 *
UnBraked	Hydraulic Braked; Registerable	UnBraked	Hydraulic Braked; Registerable	UnBraked	Hydraulic Braked; Registerable	UnBraked	Hydraulic Braked; Registerable



1,200 Litres			
12v 60L	12v 60L/min Pump		90L/min Pump
\$15,883*	\$18,888*	\$17,788*	\$20,793*
UnBraked	Hydraulic Braked; Registerable	UnBraked	Hydraulic Braked; Registerable



1,500 Litres			
12v 60L/min Pump		Honda GX160 490L/min Pur	
\$ 16,428 *	\$19,378*	\$ 18,333 *	\$21,283*
UnBraked	Hydraulic Braked; Registerable	UnBraked	Hydraulic Braked; Registerable

DIESELPATROL15[™]

Dual Axle Refueling Trailers



1,500 Litres			
12v 60L	12v 60L/min Pump		190L/min Pump
\$ 19,768 *	\$25,498*	\$ 21,673 *	\$27,403*
UnBraked	Electric Braked; Registerable	UnBraked	Electric Braked; Registerable



2,400 Litres			
12v 60l	12v 60L/min Pump		90L/min Pump
\$21,688*	\$ 27,673 *	\$23,593*	\$29,578*
UnBraked	Electric Braked; Registerable	UnBraked	Electric Braked; Registerable







2,000 Litres

12v 60L/min Pump		Honda GX160 490L/min Pump	
\$ 20,978 *	\$ 26,948 *	\$22,883*	\$28,853*
UnBraked	Electric Braked; Registerable	UnBraked	Electric Braked; Registerable



3,000 Litres			
12v 60L/min Pump		Honda GX160 4	90L/min Pump
\$24,738	\$30,303*	\$26,643*	\$32,208*
UnBraked	Electric Braked; Registerable	UnBraked	Electric Braked; Registerable

DIESEL ACCESSORIES

Auto Shut-Off Diesel Nozzles

Reliable Auto Shut-Off Nozzles in 2 Sizes



Assembly: Lid & Filter

- Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- Used in all TransDiesel units

Diesel Lid Cap

with Chain

\$102*

SKU: ADLCOO1CC

 #50 mesh filter at fill point helps prevent contamination of your fuel



Lid & Filter

Assembly

\$190*

SKU: ADLCOO1CCF



- Choose from 6 & 10 metre hose lengths
- Choose from ¾" and 1" hose diameter
- High quality diesel grade hose with crimped fittings
- Hose kinking prevented by anti-kink spring



SKU	DESCRIPTION	RRP*(\$)
ADZF6M20	Diesel hose 6 metres 20mm with crimped ends	\$ 199
ADZF6M25	Diesel hose 6 metres 25mm with crimped ends	\$316
ADZF10M25	Diesel hose 10 metres 25mm with crimped ends	\$380

DIESEL ACCESSORIES

Fuel Level Gauge Never guess your fuel level again!

- Fits neatly beside filler cap
- Easy to read fuel level gauge for DieselCaptain units

SKU	DESCRIPTION	RRP*(\$)
ADLM01MK	250mm Fuel Level Gauge	\$ 163
ADLM02MK	300mm Fuel Level Gauge	\$169
ADLM03MK	400mm Fuel Level Gauge	\$ 179
ADLMO4MK	500mm Fuel Level Gauge	\$ 185
ADLM05MK	600mm Fuel Level Gauge	\$ 195





DIESEL PUMPS

PUMP ONLY



DIESEL PUMPS





BluEmissionTM

Diesel Exhaust Fluid (DEF)

- ♦ 35L/min flow rate
- Stainless steel lid and auto shut-off nozzle for controlled
- Stainless steel pump with internal bypass for durability
- Stainless steel breather mounted behind lid
- ♦ 4m of electrical cable with battery clips

- EPDM gaskets and seals
- Tank manufactured from urea grade polyethylene -Diesel Exhaust Fluid (DEF) compatibility
- Filler cap Diesel Exhaust Fluid (DEF) compatible
- 4 metres of 19mm flexible deliverv hose

100 Litres \$2,725*

100 Litre with 35L/min Pump and Auto Nozzle

800 x 680 x 465mm (LWH)

SKU: DAL0100LT035AV1

Call us Today to Discuss

Your Specific Requirements



200 Litres \$3.010*

200 Litre with 35L/min Pump and Auto Nozzle 800 x 680 x 710mm (LWH)

SKU: DALO200ALT035AV1

AFFORDABLE BULK ADBLUE TRANSPORTABLE TANKS



Enjoy the Poly Advantage of No Rust!

of AdBlue



25-Year Tank Warranty

Extra UV Stabilisation - Protects the Tank from ever Deteriorating in Direct Sunlight

Tanks are Designed to **Carry the Extra Weight**

Diesel Exhaust Fluid (DEF) Dispenser with 35L/min flow rate

> Fully enclosed lockable pump compartment for security and protection



*GST included | Free Call 1800 816 277 | www.tti.com.au

FIGHTING EQUIPMENT

tti

ER

StandBy10[™]

Hand-Held / Tractor-Mount Fire Fighters

SCAN TO SEE



- Fast & consistent flow from double-action hand pump
- Adjustable nozzle for effective performance in varying conditions;
- Supplied with spring steel mounting brackets;
- UV stabilised roto-molded poly tank

\$485*

10 Litres

10 Litre Tractor Mount Fire Fighter with Spring Steel Mounting Brackets SKU: PFT0010L



118

"

I can say that their 1000L slip on units are fantastic, and that the two we bought this year were instrumental in saving our farms and a neighbour's house in the Yeppoon / Cobraball bushfires. When I ordered our second unit I considered it as cheap insurance!

DAVID GROVES FIRE BRIGADE MEMBE



FIRE FIGHTING HOSE REELS

High-Quality, Multi Purpose Manual & Spring Rewind Hose Reels



ARE YOU READY FOR **FIRE SEASON?**

In the heat of the moment, you can always rely on TTi's Fire Fighting Equipment!



\$**2,180*** 20m Spring Rewind Hose Reel (Steel)

Spring rewind steel reel with 20m x 25mm hose & adjustable nozzle SKU: ATHW020SR

FireCombat[™]

Portable Fire Fighter



- Honda GX160 Motor with 500L/min Davey Single Impeller 11/2" Pump
- Pressure relief valve and bypass to protect pump;
- Camlock fittings and 6m quick fill kit for filling from external water source;
- 18m x 19mm Fire hose with adjustable nozzle

\$4,370*

400 Litres

Honda GX160 with Davey Pump 1620 x 710 x 810mm (LWH) SKU: SF0400LZ

FireGuard[™]

Portable Fire Fighters

- Handy size fire fighter for rapid response to fire emergencies;
- GX50 Honda motor, 210L/min FF pump for fast & reliable flow;
- 18 metres of fire hose with twist action adjustable FF nozzle
- UV stabilised tank with 25-year warranty



FireBossTM UTV Fire Fighting Unit

Sitting neat and sitting low, the TTi FireBoss™ UTV fire fighting unit is always right behind you, when performing your fire duties.

From fire fighting, tree watering, washdown, and more, the FireBoss™ slip-on UTV firefighter lives up to its name.





FireDefence[™]

Slip-On Fire Fighting Unit



Honda GX160 Motor with 500L/Min Davey Single Impeller 11/2" Pump

36m Hose Reel with Adjustable Nozzle

THIS PRODUC



UV Stabilised Poly Tank with Tie-Down Provisions & Integrated Lifting Handles

LiauidLocker™ Baffling System Fitted



6m Suction Fill Kit for Filling from External Water Source

Low-Profile Design for Safety and Stability



A compact combo that always delivers punch, the FireDefence[™] is in a class of its own.

AXQ . 79711

The unique mounting of the pump, motor and reel ensures the centre of gravity is low and safe, making it the perfect choice for property owners.





*GST included | Freight Rates Apply

FireAttack[™]

Skid-Mounted Fire Fighting Unit



Always action ready, the FireAttackTM lineup of slip on firefighting units are the choice of serious property owners.

During the heat of the moment, when every drop counts, the fully draining tank and Davey Twin Impeller pump will deliver under pressure!

Trans Tank® International

124



36m x ¾" Heavy-

Adjustable Twist

Type Nozzle

Duty Hose Reel with



Heavy-Duty Galvanised Skid Frame with Forklift Pockets



UV Stabilised Fully-Drainable Tank with Liquidlocker™ **Baffle System**

Honda GX200

400I/Min Davey


Twin Impeller

11/2" Pump

Engine with

6m Suction Fill Kit for Filling from External Water Source





included | Free Call 1800 816 277 | www.tti.com.au

FIREATTACK[™]







AquaPath[™]

Skid-Mounted Water Carts



TTi's tough and robust AquaPath[™] is perfect for civil works, dust suppression, tree watering and fire fighting.

If AquaPat

This AquaPath[™] slip-on water cart is simple, effective & reliable, and will be sure to get any water transport job done with ease! Our range of accessories and options ensures we can provide you with the perfect AquaPath[™] water cart for your needs!

Tested and ready to be mounted on any tipper, flat tray or trailer!



Honda GX200 6.5hp Engine with 400L/ Min 11/2" Davey Twin Impeller Pump





Heavy-Duty Poly Tank with Liquidlocker™ Baffle System



36m Heavy-Duty Hose Reel with Adjustable Nozzle

Galvanised Steel

Skid Frame with

Forklift Pockets

KEY FEATURES

Duty vith Nozzle



6m Suction Fill Kit for Filling from External Water Source

Dual Deflector

Sprayer Kit

with Wireless

Remote Control

126

1234



AQUAPATH™

Skid-Mounted Water Carts





\$15,020*

2,000 Litres

2910 x 1410 x 958mm (LWH)



\$15,480*

2,400 Litres

2910 x 1410 x 1228mm (LWH)

THIS PRODUCT IN ACTION!

\$18,615*

3,000 Litres

3020 x 1540 x 1340mm (LWH)



\$20,250*

4,000 Litres

3020 x 1540 x 1590mm (LWH)



\$23,200*

5,000 Litres

3500 x 2000 x 1569mm (LWH)



\$24,760*

6,000 Litres

3500 x 2000 x 1709mm (LWH)

*GST included | Free Call 1800 816 277 | www.tti.com.au

AQUAPATH[™] TESTIMONIALS



Highly recommend one of these TTi AquaPath™ units to anyone in the civil industry."

Peter Atkinson

Bulldog Earthmoving Civil Contractor



Very easy to take off the truck for something else if we're not using the tank. We've got six AquaPath[™] units across the company. They're very versatile, easy to fill-up and make it a lot easier on site.

Michael Hanly

ACE Contractors Group Civil and Landscaping



Highly recommend TTi, I couldnt recommend them any more, they always have the after sales service, and will hand deliver the unit! You cant ask for any better service!

Neil and Gareth

Regal Innovations Civil and Landscaping

FirePatrol14[™] -

Water Cartage Trailer

Simple, safe and effective sums up the FirePatrol14™ water cart trailer. Clearly a market leader.

A great property owners choice for a range of applications such as firefighting, water transfer, washdown and wherever else you need water.



KEY FEATURES



GX160 Honda Motor with 1½" Single Impeller Davey 500L/Min Pump



36m Heavy-Duty Hose Reel with Adjustable Nozzle



Galvanised Chassis with 50mm 2T-Rated Galvanised Axles & 14" Wheels



Heavy-Duty Poly Tank with Liquidlocker™ Baffles



6m Suction Fill Kit with Bracket for Filling from External Water Source



Led Combination Tail & Number Plate Lights

130

Multi-Purpose Water Cart Trailer

for Fire Fighting, Dust Suppression and Tree Watering





FirePatrol15[™]

Australia's No: 1 Water Cartage Trailer

Robust, safe and engineer approved, the FirePatrol15[™] line up of water cartage trailers are still being voted 'Best & Fairest' on and off the road!

High performing and versatile, they make putting 'water to work' a pleasure!



FIREPATROL15[™]

SKU: PRFX0800LZ

SINGLE AXLE





800 Litres \$13,210* \$15,180* Unbraked Braked Registerable

(Hydraulic Brakes) SKU: PRFQ0800LZ

tti

B69*884



1,000 Litres		
\$ 13,675 *	\$ 15,825 *	
Unbraked	Braked Registerable	
SKU: PRFX1000LZ	(Hydraulic Brakes) SKU: PRFQ1000LZ	
	_	



1,200 Litres		
\$ 14,985 *	\$17,150*	
Unbraked	Braked Registerable	
SKU: PRFX1200LZ	(Hydraulic Brakes) SKU: PRFQ1200LZ	





Eire Patrol 15







1,500 Litres		
\$ 17,890 *	\$ 22,920 *	
Unbraked	Braked Registerab	
SKU: PRFXD1500LZ	(Electric Brakes) SKU: PRFQD1500LZ	



2,000 Litres	
\$20,490*	\$ 24,615 *
Unbraked	Braked Registerable
SKU: PRFXD2000LZ	(Electric Brakes) SKU: PRFQD2000LZ

2,400 Litres	
\$21,060*	\$25,060*
Unbraked	Braked Registerable
SKU: PRFXD2400LZ	(Electric Brakes) SKU: PRFQD2400LZ

3,000 Litres	
\$23,170*	\$28,475*
Unbraked	Braked Registerable
	(Electric Brakes)

SKU: PRFXD3000LZ

(Electric Brakes) SKU: PRFQD3000LZ



PantherPatrol[™] –

State-of-the-Art Water Cartage Trailer

Clearly a market leading water cart trailer.

The state of the art TTi PantherPatrol[™] Trailer Mounted Water Cart includes an inbuilt handwash tank and toolbox, and can be used for firefighting, washdown and tree watering.





1,100 Litres

\$14,350*

Unbraked Honda GX200 with Twin Impeller **Davey Pump** SKU: PRFPX1100LZ

\$17,500*

Braked / Registerable Honda GX200 with Twin Impeller **Davey Pump** SKU: PRFPQ1100LZ



136

CIVIL EQUIPMENT

Polymer Application Trailer

PolymerPro[™]

SCAN TO SEE THIS PRODUCT IN ACTION!

TTi's market-leading solution for transporting and applying polymer – The PolymerPro™.

TTi's latest innovation is designed specifically for industries like civil construction, commercial landscaping, and mining. The Polymer Pro Trailer makes applying polymer chemicals easier and more efficient than ever before.



KEY FEATURES



Genuine Honda GX200 Petrol Engine coupled with a Polmer-Spec 75L/Min Bertolini Pump



Twin Agitator System & Pressure Bypass



4-way pressure regulator and gauge for accurate & controlled spraying



Complete with 36m x 19mm Hose and brass nozzle designed for polmer application



100L freshwater tank plumbed to the main tank with a valve for flushing



Venturi Quick Fill Kit - Easy tank filling from external water source or sucking polmer from IBC/ drums into the tank

TOYO

Available in **1,000** & **2,000** Litres





UPGRADE OPTIONS



Honda Electric Start Engine

Honda Electric Start Engine with Battery Pack



Dual Deflector Sprayer Kit with Actuator

1.5" Dual Deflector with Actuator Valve & Wireless Remote Control



Deflector Spray Kit Manual Control

1.5 inch Single Deflector, Ball Valve & Pipework

4X2/6X4 PACKAGES

Water Trucks

At TTi, we have been manufacturing and supplying reliable water truck solutions for Civil Contractors, Landscapers, Councils and Hire Companies across the country for over 20 years. TTi's water trucks simply work when you need them to.





WATER TRUCKS



FEATURES



HEAVY-DUTY POLY TANK

Tough, rotomolded poly tank with a 20-Year Warranty, reflective decals & rear/side site tubes



LIQUIDLOCKER™ BAFFLE SYSTEM

100% Elimination of liquid surge for safe water transport



ENGINEER APPROVED CHASSIS FRAME

Galvanised, engineer-approved subframe, fitted to truck chassis. VASS Certificate supplied.



EASY-TO-USE IN-CAB CONTROLLER

Ergonomic In-cab control panel mounted in the cabin



HYDRAULIC PUMP SYSTEM

Variable Speed Hydraulic system complete with Hydra Pak, PTO to Truck, Piston Pump, Hydraulic valving and controls



1600 L/MIN CAST IRON PUMP

1600L/min, Self Priming, Australian Made Cast Iron Pump with pressure relief



3" REAR SPRAY HEADS

Central 3" & two 1.5" left and right magnum spray heads with individual on/off. Adjustable roll groove mounting



PRESSURISED AND/OR GRAVITY DRIBBLE BAR

Featuring 3" Pressurised and/or Gravity Dribble Bar's



3" WATER CANNON (ELECTRIC)

Electric nozzle for spray pattern control; In-cab joystick; Australian Made



BATTER SPRAY HEADS

2x Batter spray heads mounted on each side of the truck between the tank and the cab



FRONT SPRAY HEADS

2 x Front spray frog nozzles mounted on front of the truck - individual on/off



WORK LIGHTS

Engineered-for-purpose water cart vehicles. Built to your specifications to suit any mining, civil, or commercial environment.

4X2 TRUCK PACKAGES

ſ ...

500

ANT



8,000L

8,000L (HINO 4x2)



8,000L (ISUZU 4x2)



8,000L (HINO 4x2)



6X4 TRUCK PACKAGES

ISUZU



13,000L & 15,000L

13,000L (UD 6x4)



13,000L (ISUZU 6x4)



15,000L (HINO 6x4)



WATER TRUCK CHASSIS-MOUNT MODULES

AquaModule[™]

TTi offers remote supply modules, which is the perfect solution if you have the desire to do your own 'fit-off' of a complete water cart module.

Design, fabrication and testing of steel componentry is all completed in house, before being hot-dip galvanised ready for final assembly.

The module is then fully assembled and tested one of our state-of-the-art facilities, ready for sign off and mounting to the truck of your choice.





Trans Tank[®] International | **Product Catalogue 2025** 145

Brackets



WE OFFER A RANGE OF SIZES



SLIP-ON WATER CARTS

FloodRite[™]

FloodRite[™] slip on water carts are designed primarily for slipping into tipper trucks, or forklifting onto tray trucks.

Their perfect for general civil works or road construction, dust suppression or landscape watering.









FEATURES



HANDHELD WIRELESS REMOTE CONTROL

Turn motor on/off,spray bar & dribble bar on/off. Easily switch trucks.



HEAVY-DUTY, FULLY BAFFLED POLY TANK UV stabilized tank, suitable for potable water and backed by an industry best 20 year warranty.



1600L/MIN SELF PRIMING PUMP 1600L/min Self Priming Pump with Honda Petrol or Yanmar Diesel Engines.



HEAVY DUTY GALVANISED SKID FRAME

The tank is mounted on a heavy duty skid frame, which incorporates forklift pockets.



20M SPRING RETRACTABLE HOSE REEL

Heavy-duty spring rewind multi-purpose hose reel, fitted with 20m of 25mm wash down hose and adjustable nozzle.



ERGONOMIC PIPEWORK MANIFOLD

Fully welded and hot dip galvanised pipework manifold, with actuators & valves.



STANDPIPE, HYDRANT & SUCTION FILL CAPABILITIES

3" Hydrant Funnel fill lid, hydrant system with air-gap & 6m quick fill kit for suction filling.



3" REAR ADJUSTABLE SPRAY HEADS

Fully adjustable & individually operated rear spray heads.

WE OFFER A RANGE OF SIZES

SLIP ON WATER CARTS







10,000 Litres

4400 x 2100 x 2330mm (LWH) / 1,550kg



12,000 Litres

4400 x 2100 x 2690mm (LWH) / 1,680kg



13,000 Litres

4200 x 2250 x 2760mm (LWH) / 1,680kg

13,000 Litres (Low-Profile)

5400 x 2370 x 2240mm (LWH) / 1,770kg

SLIP ON WATER CARTS




15,000 Litres

5400 x 2370 x 2490mm (LWH) / 1,860kg



5400 x 2370 x 2840mm (LWH) / 1,950kg

EASY LOADING & UNLOADING FROM TIPPERS







Dribble Bar




Water Cannon

HOOKLIFT WATER CARTS

Hooklift[™]

FloodRite Hooklift water carts are designed primarily for Hooklift trucks.

They're perfect for general civil works or road construction, dust suppression or landscape watering.





FEATURES



HANDHELD WIRELESS REMOTE CONTROL

Turn motor on/off,spray bar & dribble bar on/off. Easily switch trucks.



HEAVY-DUTY, FULLY BAFFLED POLY TANK UV stabilized tank, suitable for potable water &

backed by an industry best 20 year warranty



1600L/MIN SELF PRIMING PUMP

Self Priming Pump coupled with KOHLER Diesel electric start engines, with battery pack



HEAVY-DUTY GALVANISED SKID FRAME

The tank is mounted on a heavy duty skid frame, with an a-frame



20M SPRING RETRACTABLE HOSE REEL

Heavy-duty spring rewind multi-purpose hose reel, fitted with 20m of 25mm wash down hose and adjustable nozzle



ERGONOMIC PIPEWORK MANIFOLD

Fully welded and hot dip galvanised pipework manifold, with actuators & valves



STANDPIPE, HYDRANT & SUCTION FILL CAPABILITIES

3" Hydrant Funnel fill lid, hydrant system with air-gap & 6m quick fill kit for suction filling



3" REAR ADJUSTABLE SPRAY HEADS

Fully adjustable & individually operated rear spray heads

xTreme[™]

Pressure Cleaning Trailer

Heavy-Duty Cold Wash Pressure Cleaning Trailer

Heavy-duty pressure cleaning trailers are ideal for councils, civil and industrial use, with high performing pressure cleaning pumps ideal for removing heavy grime and dirt



KEY FEATURES



Heavy-Duty Poly Tank Australian Made, Tough, Lightweight and Rust-Free Polyethylene Cartage Tank with 25-Year Warranty



Pressure Cleaning Kit Choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pumps (3650psi)



Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work



20m Hose Reel Convenient 20m hose reel with heavy duty braid hose & quality spray wand



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer



High Pressure Pump High performing pumps rated to 3150-3650psi pumps get the job done with ease!




XTreme™ PLUS

Pressure Cleaning & Washdown Trailer

Powerful Pressure Cleaning & Washdown Trailer

Dual purpose pressure cleaning & washdown trailers are ideal for councils, civil and industrial use. Separate pressure cleaning & washdown pumps enable you tackle any application





KEY FEATURES



Heavy-Duty Poly Tank Australian Made, Tough, Lightweight and Rust-Free Polyethylene Cartage Tank with 25-Year Warranty



Washdown Pump Kit Choice of Honda petrol or Yanmar diesel engines with Davey pump for washdown; 36m x 19mm hose and reel



Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work



Pressure Cleaning Kit Choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pumps (3650psi)



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer



15" Sunraysia Landcruiser wheels makes for smooth towing even in the toughest terrain

OUR PEOPLE

OUR STAFF - OUR KEY!

At TTi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is.

tti

CRISP

Our people and their families mean everything to us and always will.





FREIGHT RATE GUIDE

	ZONES	1	2	3	4	5	6					
All Bare Tanks	100L to 400L	\$70	\$ 100	\$ 125	\$ 140	\$ 210	POA					
	500 L to 1,500 L	\$ 125	\$ 200	\$ 240	\$360	\$ 425	POA					
	2,000L to 4,000L	\$ 240	\$ 440	\$ 4 95	\$ 550	\$770	POA					
	5,000 L to 12,000 L	\$ 550	\$ 690	\$ 1,000	POA	POA	POA					
	13,000 L to 17,000 L	\$ 690	\$ 1,000	POA	POA	POA	POA					
Inter™ / WeedMasta™	All Sizes	\$ 35	\$ 35	\$ 35	\$ 35	\$ 45	POA					
WeedControl™	55 L to 95 L	\$ 45	\$ 55	\$ 65	\$90	\$ 100	POA					
	150 L to 225 L	\$ 65	\$ 90	\$ 110	\$ 130	\$165	POA					
OnDeck™/ReelStrike™	200 L to 400 L	\$ 110	\$ 165	\$ 250	\$ 275	\$ 410	POA					
TopCrop™	500L to 1,000L	\$ 2 75	\$ 410	§550	\$ 660	POA	POA					
WeedControl [™] Trailers	55L / 95L / 150L	\$85	\$ 100	\$ 110	^{\$} 155	\$ 175	POA					
TrailPro™	200 L	\$ 140	\$ 210	\$ 2 75	\$ 415	\$ 440	POA					
	400 L	\$ 275	\$ 485	\$ 605	POA	POA	POA					
GlidePath™	800L to 1,200L	\$ 550	\$ 1,000	POA	POA	POA	POA					
LinkOn™	300 L to 400 L	\$ 140	\$ 275	\$385	POA	\$ 550	POA					
	600L to 1,000 L	\$ 210	^{\$} 415	POA	POA	POA	POA					
Booms or Versatile Boom	2m - 4m	\$ 60	\$80	\$ 100	\$150	\$ 150	POA					
Booms	6m - 8m	\$ 110	\$ 140	\$ 210	\$ 250	\$ 275	POA					
	10m - 12m	\$ 210	\$ 275	\$ 485	POA	POA	POA					
Hose Reels	30m - 50m	\$45	\$ 55	\$ 65	\$65	\$75	POA					
	Fire Hose / SuperReels	^{\$} 65	\$ 90	\$ 110	\$ 130	§130	POA					


Call to Discuss Your Tailored Freight Pricing **1800 816 277**

	ZONES	1	2	3	4	5	6			
Diesel Units	100L to 400L	\$ 70	\$85	\$ 110	\$ 110	§165	POA			
	440 L to 600 L	\$ 120	\$ 140	\$ 275	\$300	\$ 350	POA			
	800L to 1,200 L	\$ 175	\$ 240	\$300	\$ 350	\$ 440	POA			
	1,500 L to 4,000 L	\$300	\$ 600	\$825	POA	POA	POA			
	5,000 L to 10,000 L	\$ 5 50	\$ 900	\$ 1,200	POA	POA	POA			
Diesel Trailers	Single Axle	\$ 5 50	\$ 1,000	POA	POA	POA	POA			
	Dual Axle	\$750	\$ 1,200	POA	POA	POA	POA			
Fire Units	220 L to 300 L	\$ 100	\$ 130	\$ 165	\$ 275	\$ 2 75	POA			
	400L to 1,500 L	\$ 140	\$ 200	\$ 275	\$ 480	POA	POA			
Fire Units / AquaPath™	2,000L to 4,000L	\$ 400	\$ 685	\$ 960	POA	POA	POA			
	5,000L to 6,000L	\$ 550	\$ 825	\$ 1,200	POA	POA	POA			
Fire Trailers	800L to 1,200 L	^{\$} 550	\$ 1,000	POA	POA	POA	POA			
	1,500 L to 3,000 L	\$ 750	\$ 1,100	POA	POA	POA	POA			
AquaDelivery™ / FloodRite™ Water Trucks		POA	POA	POA	ΡΟΑ	ΡΟΑ	POA			

NOTE:

If multiple products are being ordered, Please contact for consolidated freight quote.

Call 1800 816 277 for details.



*GST Excluded | Freight Rates Apply



HEAD OFFICE [NATHALIA]

3 Murray Valley Hwy, Nathalia, VIC, 3638



5 Nugent St, Nathalia, VIC, 3638



Unit 1/16 Silicon PI, Tullamarine, VIC, 3043



HEAD OFFICE

Head Office: **1800 816 277** Landline: (03) **5866 3266** Fax: (03) **5866 3019**

AUSTRALIAN MADE

EMAIL

Sales: sales@tti.com.au Marketing: marketing@tti.com.au Operations: operations@tti.com.au Accounts Receivable: accountsreceivable@tti.com.au Accounts Payable: accountspayable@tti.com.au Support/Warranty: support@tti.com.au

f D in S Follow us at #TransTankInternational

ONLINE

www.**tti**.com.au www.**ttiwatertrucks**.com.au